





PROFIL	length	color	item number
	1m	standard color NCS S-2005Y20R	IL-XTRU-0974

COVER - K	length	cover	description	item number
	1m	frosted	70 % transparent, more flexible	1547
	2m	transparent	98 % transparent, more flexible	1548

COVER HS	length	cover	description	item number
	1m	frosted	70 % transparent, more rigid, perfectly flat	1369
	2m	transparent	96 % transparent, more rigid, perfectly flat	1370

END CAP's	item number
	end cap 3D 0958
	end cap 3D with hole 1450



Applications :

- for flexible or hard LED strips up to 10 mm wide
- Indoor: interior design, furniture (kitchen cabinets, closets, thin furniture elements), stairs, exhibitors, scenography, advertisement, hotels, work stations, (hardly accessible – shaded spots)
- to be mounted to different types of surfaces: walkway marking in theaters, malls, airports, train stations etc.)

Product Description :

Mounting:	double sided mounting tape (accessories), mounting glue
Ending element:	plastic 3D end cap (accessories)
Certificate / Patent:	CE, Patent rights

Advantages :

small dimensions, lightweight, easy assembly, universal application, environment friendly, sloping sides of the profile enables it to be mounted under the library shelves (no collision with books)

* We reserve the right to change and modify our products.

