




PROFIL	length	surface finishing	item number
	1m (standard) 2m (standard) 2 - 6m [special order]	anodized	IL-XTRU-3777

COVER - K	length	cover	description	item number
	1m 2m	frosted	70 % transparent, more flexible	1547
		transparent	98 % transparent, more flexible	1548

COVER HS	length	cover	description	item number
	1m 2m	frosted	70 % transparent, more rigid, perfectly flat	1369
		transparent	96 % transparent, more rigid, perfectly flat	1370

COVER - S	length	cover	description	item number
	1m 2m	transparent	Light Focusing Cover	00220

END CAPS	item number	
	end cap PCV	1439
	end cap PCV with hole	1441
	electricity conductive end cap	1435

MOUNTING BRACKETS	surface finishing	item number
	zinc	1072
	chrome matt	1345

**Applications :**

- for flexible or hard LED strips up to 10.8 mm wide
- indoor and outdoor ( IP 65 waterproof level can be achieved )
- to build free standing lighting fixtures, to be mounted as an individual element to surfaces ( walls, furniture boards etc. ), not grooves milled in surfaces

**Product Description :**

Mounting:	mounting brackets ( accessories )
Ending Element:	plastic end cap, ( accessories )
Certificate / Patent:	CE, Patent rights

**Advantages :**

small dimensions, lightweight, modern design, environment friendly, profile enables construction of individual lamp designs, for building free standing Light Fixtures, not recessed lighting

---

\* We reserve the right to change and modify our products.

